

Exercises

Portfolio Optimization: Theory and Application Chapter 9 – High-Order Portfolios

Daniel P. Palomar (2025). *Portfolio Optimization: Theory and Application*.
Cambridge University Press.

portfoliooptimizationbook.com

Exercise 9.1: Non-Gaussian return distribution

- Download market data for one asset.
- Plot the histograms for different frequencies of returns.
- Try to fit a Gaussian distribution.
- Assess the asymmetry as well as the thickness of the tails for these histograms (use Q-Q plots, compute skewness and kurtosis, etc.).

Exercise 9.2: Computation of portfolio sample moments

- Download market data corresponding to N assets during a period with T observations, $\mathbf{r}_1, \dots, \mathbf{r}_T \in \mathbb{R}^N$.
- Estimate the mean vector, covariance matrix, co-skewness matrix, and co-kurtosis matrix of the data via sample means.
- Design some portfolio, such as the $1/N$ portfolio, and compute the four moments of the portfolio returns (i.e., mean, variance, skewness, and kurtosis).
- Additionally, compute the gradient and Hessian of the four portfolio moments.
- Repeat the whole process for different values of N , while keeping track of the computational cost, and make a final plot of complexity vs. N .

Exercise 9.3: Comparison of nonparametric, structured, and parametric moments

- Download market data corresponding to N assets during a period with T observations, $\mathbf{r}_1, \dots, \mathbf{r}_T \in \mathbb{R}^N$.
- Design some portfolio, such as the $1/N$ portfolio.
- Estimate the mean, variance, skewness, and kurtosis of the portfolio returns in the following

ways:

- nonparametric moments: via a direct sample mean estimation of the mean vector, covariance matrix, co-skewness matrix, and co-kurtosis matrix;
 - structured moments: via fitting a single market-factor model to the returns;
 - parametric moments: via fitting a multivariate skew t distribution to the returns.
- d. Repeat the whole process for different values of N , while keeping track of the computational cost, and make a final plot of complexity vs. N .

Exercise 9.4: Sanity check of parametric moment expressions

- a. Generate synthetic data according to a multivariate skew t distribution.
- b. Design some portfolio, such as the $1/N$ portfolio.
- c. Estimate the mean, variance, skewness, and kurtosis of the portfolio returns in the following ways:
 - nonparametric moments: first estimate via sample means the mean vector, covariance matrix, co-skewness matrix, and co-kurtosis matrix of the data, then evaluate the portfolio moments (as well as gradients and Hessians);
 - parametric moments: first fit a multivariate skew t distribution to these synthetic returns, then evaluate the moments with the parametric expressions (as well as gradients and Hessians).
- d. Compare the nonparametric and parametric estimations.
- e. Repeat the whole process for different numbers of data samples T , and make a final plot of estimators vs. T .

Exercise 9.5: L-moments

- a. Download market data for one asset.
- b. Compute the first four moments (i.e., mean, variance, skewness, and kurtosis) in a rolling-window fashion and plot them over time.
- c. Compute the first four L-moments (i.e., L-location, L-scale, L-skewness, and L-kurtosis) in a rolling-window fashion and plot them over time.
- d. Try different values for the lookback window and compare the regular moments with the L-moments.

Exercise 9.6: MVSK portfolios

- a. Download market data corresponding to N assets during a period with T observations, $\mathbf{r}_1, \dots, \mathbf{r}_T \in \mathbb{R}^N$.
- b. Fit a multivariate skew t distribution to the data.
- c. Design a traditional mean–variance portfolio.
- d. Design a high-order MVSK portfolio.
- e. Compare their performance. Try to obtain a clear performance improvement via the introduction of higher orders.

Exercise 9.7: Portfolio tilting

- a. Download market data corresponding to N assets during a period with T observations, $\mathbf{r}_1, \dots, \mathbf{r}_T \in \mathbb{R}^N$.
- b. Fit a multivariate skew t distribution to the data.
- c. Design some portfolio as a reference.
- d. Use the portfolio tilting formulation to improve the reference portfolio.
- e. Compare their performance. Try to obtain a clear performance improvement via tilting.